

Tel No: 0364-2308011 Ref. No. K1-11017/1/2023-ENGG/2179

www.iimshillong.ac.in Date: 14.09.2023

Corrigendum 2: Extension of End Date of Bid Submission, New Payment Link for Tender & EMD and Reply of Reply of Pre-bid query.

In supersession of Corrigendum1 dated 13.09.2023 and in reference to Tender Id no. 2023_RGIIM_767835_1 inviting online Tender Notice for 'Design, Manufacturing, Supply and Installation of Classroom Furniture at IIM Shillong Umsawli Campus", all prospective Bidders are hereby informed that the extended date, new payment link for Tender Fee & EMD are as follows:

Extension of End Date of Bid Submission:-

Particulars	Original Date	Revised date
Bid Submission end date	22-09-2023 at 03:00 PM	05-10-2023 at 03:00 PM
Bid Opening date	25-09-2023 at 04:00 PM	06-10-2023 at 04:00 PM

New Payment Link:-

	₹ 3,000.00+540 (18% GST) =₹3,540.00 to be paid via following Payment link Online:-
Tender Fee	https://erp.iimshillong.ac.in/fee/PaymentPortal/GeneralPayment.aspx?p=mRt902r6He5GQ GYFCWX2qRVucRGNqTVbFuzakVYpHLTDvUiU3a4N2BVfLiRFtOiBh6yRhiFyvXfrmU15qMinGlp 9QbhHWGcx6ivt3vaXx%2bmYsDK10uSFvwWEChKz1zf4ORG0QKJ8TzjZHYMd7U4nFceARwEg RIeXvYkoYfNG%2fAv3LfgM%2fYHbdoelip2tLCQs4MP46O6Cu2sIrAEbPR3wz1%2fxonDNCMo K
Earnest Money Deposit	► ₹ 9.00 Lakhs/- (Revised EMD) to be paid via following Payment link Online:- https://erp.iimshillong.ac.in/fee/PaymentPortal/GeneralPayment.aspx?p=unPpDMmNMgyL M9LLfrXUhXoSTjyLVw6DxTjCWVtMbdUcKbkE3r0UFBpC2ReRkww7hgfn6CMpO13ybEnt7r9R t%2bwmQlyjUV5Szjybv7nBfyGD6QtBTR7yfxpG10KgArhgxW3QeX8kQqLeuVceoJiYB0Xki1Vb NRCP%2b4bUgwslMygiKlrrOwt1cxAJFaaenS1kd0lpumCaQw6K2EbOWxOLenVyXz4SRKXd9f %2f%2b6HXLkX4%3d

As per some typographical error in corrigendum 1, the same may be ignored. All other terms and conditions in the tender document will remain the same.



INDIAN INSTITUTE OF MANAGEMENT SHILLONG UMSAWLI, SHILLONG: 793018 MEGHALAYA

Tel No: 0364-2308011 Ref. No. K1-11017/1/2023-ENGG/2179

www.iimshillong.ac.in Date: 13.09.2023

Corrigendum 1: Extension of End Date of Bid Submission, New Payment Link for Tender & EMD and Reply of Reply of Pre-bid query.

In reference to Tender Id no. 2023_RGIIM_767835_1 inviting online Tender Notice for 'Design, Manufacturing, Supply and Installation of Classroom Furniture at IIM Shillong Umsawli Campus", all prospective Bidders are hereby informed that the extended date, new payment link for Tender Fee & EMD are as follows:

Extension of End Date of Bid Submission:-

Particulars	Original Date	Revised date	
Bid Submission end date	22-09-2023 at 03:00 PM	05-10-2023 at 03:00 PM	
Bid Opening date	25-09-2023 at 04:00 PM	06-10-2023 at 04:00 PM	

New Payment Link:-

New Payin					
	₹ 3,000.00+540 (18% GST) =₹3,540.00 to be paid via following Payment link Online:-				
Tender					
Fee	https://erp.iimshillong.ac.in/fee/PaymentPortal/GeneralPayment.aspx?p=mRt902r6He5GQ				
	GYFCWX2qRVucRGNqTVbFuzakVYpHLTDvUiU3a4N2BVfLiRFtOiBh6yRhiFyvXfrmU15qMinGlp				
	9QbhHWGcx6ivt3vaXx%2bmYsDK10uSFvwWEChKz1zf4ORG0QKJ8TzjZHYMd7U4nFceARwEg				
	RIeXvYkoYfNG%2fAv3LfgM%2fYHbdoelip2tLCQs4MP46O6Cu2sIrAEbPR3wz1%2fxonDNCMo				
	K				
	₹ 3.00 Lakhs/- (Revised EMD) to be paid via following Payment link Online:-				
Earnest					
Money	https://erp.iimshillong.ac.in/fee/PaymentPortal/GeneralPayment.aspx?p=unPpDMmNMgyL				
Deposit	M9LLfrXUhXoSTjyLVw6DxTjCWVtMbdUcKbkE3r0UFBpC2ReRkww7hgfn6CMpO13ybEnt7r9R				
	t%2bwmQlyjUV5Szjybv7nBfyGD6QtBTR7yfxpG10KgArhgxW3QeX8kQqLeuVceoJiYB0Xki1Vb				
	NRCP%2b4bUgwslMygiKlrrOwt1cxAJFaaenS1kd0lpumCaQw6K2EbOWxOLenVyXz4SRKXd9f				
	%2f%2b6HXLkX4%3d				

All other terms and conditions in the tender document will remain the same.

Sd/-Store and Purchase Officer IIM Shillong



भारतीय प्रबंध संस्थान शिलॉंग Indian Institute of Management Shillong

(शिक्षा मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संस्थान) (An Autonomous Organisation under MoE, Government of India)

In reference to the Prebid Meeting held on 04.09.2023 against our NIT No. K1-11017/1/2023/2179 dated 21.08.2023 for "Tender for Design, Manufacturing, Supply & Installation of Classroom Furniture at IIM Shillong" the reply to the Prebid Queries is attached at Annexure I.

The last and time for submission of Tender has been extended to 05.10.2023 at 1500 Hrs.

Executive Engineer **IIM Shillong**

भारतीय प्रबंध संस्थान शिलॉग Indian Institute of Management Shillong उम्साव्ली, शिलॉग - 793018, मेघालय, भारत Umsawli, Shillong - 793018, Meghalaya, India

फोन/Tel: +91-364-2308000 फिक्स/Fax: +91-364-2230041 वेबसाइट/Website: www.iimshillong.ac.in

	CORRIGENDUM-I PRE-BID QUERIES TENDER FOR DESIGN, MANUFACTURE, SUPPLY & INSTALLATION OF FURNITURE FOR THE CLASSROOM AT IIM SHILLONG CAMPUS AT UMSAWLI. NIT No.: K1-11017/1/2023-ENGG/2179 dated 21/08/2023 Date of Pre-Bid Meeting 04.09.2023				
S.No	Head	Terms as Per Existing Tender	Revised Terms as per Queries Raised in the Pre- Bid Meeting held on 04.09.2023		
1	Technical Eligibilty Clause 1.1.4 (a) Pg 10	 a) The Bidder should have satisfactorily completed the supply of furniture of a minimum value as mentioned below during the last SEVEN years in Central Govt, State Govt, Autonomous bodies of Central Govt, Educational Institutions such as IIMs, IITs, etc. or reputed private Educational Institutions or Corporate Training Establishment with minimum seating capacity of 200 or more. Copies of work orders and Completion certificates duly self-attested must be uploaded. 3 (Three) similar completed works each costing not less than 40% of the estimated cost put to tender. Or 2 (Two) similar completed works each costing not less than 60% of the estimated cost put to tender. Or 1 (One) similar completed work costing not less than 80% of the estimated cost put to tender. 	Costing can be brought to present costing level with 7% increase per year. Up to 31.03.2023		
2	Pg 10 Clause (a)	 b) Minimum gross average annual financial turnover of similar works for three years (FY 2020-21, 2021-22, 2022-23) shall not be less than Rs. 4.50 Crores (Rupees Four Crores Fifty Lakhs) only. 	Minimum gross average annual financial turnover of similar works for three years shall be from (FY 2019- 20, 2020-21, 2021-22) shall not be less than Rs. 4.50 Crores. For FY 2022-23 Provisional amount to be provided		
3	Pg 10 Clause (b)	 Audited balance sheets and profit and loss account statements for three years (FY 2020-21, 2021-22 & 2022-23) duly certified by the Statutory Auditor for these three years must be uploaded. 	Audited balance sheets and profit and loss account statements for three years shall be from FY 2019-20, 2020-21 & 2021-22) duly certified by the Statutory Auditor for these three years must be uploaded.		
4	Pg 10 Clause (c)	 d) The bidders should not have made loss in more than one out of the last three financial years. The bidders should upload a declaration from the Statutory Auditor in this regard. 	As Per Tender. No Change		

÷

ş

the boutwent

Page **1** of **9**

5	Pg 10 Clause (d)	e)	The bidders should upload a solvency certificate issued by any scheduled bank amounting to a minimum of ₹ 2.25 Crores.	As Per Tender. No Change
6	Pg 10 Clause (f)	f)	The bidder shall submit copies of delivery challans/Invoices (Unpriced Copy) for each material in support of that material is from OEM. Tax Invoices of Original Equipment Manufacturer (OEM) shall also be submitted by the bidder to ascertain genuineness of the material.	Delivery challan/invoices (Unpriced copy) for each material to be supplied by the selected bidder, and after procurement of material but before the factory inspection by IIM Shillong, the bidder may be the OEM or his authorised representative whatever the case may be.
7	Pg 10 Clause (g)	g)	The bidder should have the following certification: BIFMA membership certificate, ISO: 9001:2008; ISO: 14001:2004; ISO: 18001:2007, ISO 45001, Green Pro for raw material issued from NABCB accredited agency in India which can be verified, also certificate for AT LEAST ONE relevant category of products. Copies of all these Certificates from certified laboratory shall be uploaded with the technical bid.	 The latest version of following certificates needs to be submitted BIFMA Membership certificate ISO 9001. ISO 14001. ISO 45001 From IAF authorized agency The bidder should submit the Green Pro Certificate issued by Cll The finished product should be supplied with Green Pro certificate by the successful bidder.
8	Pg 10 Clause (h)	h)	The manufacturer should have the up-to-date calibration certificates of the testing lab equipment's calibrated by any NABL approved lab. The copy of the same should be uploaded with the tender bid.	No Change. As per tender
9	Pg 10-11 Clause (i)	i) In	The bidder/OEM must upload documentary proof of owning (Copy of Purchase invoices along with the photographs) machinery such as Hot Hydraulic Press Machine, Plywood Cutting Machine, Automatic Profile Vibrate Sanding Machine using sets of sanding papers with capacity 30 panel per hour, Automatic Spraying Machine with thickness detection system & auto feeding system - minimum one robotic arm set of two number of spray guns with capacity of 30 panel per hour, UV Curing Machine that should be used for laminate/Veneer finish for manufacturing the furniture within the stipulated period. addition to machinery Computer controlled multi stationed through feed edge	of owning (Copy of Purchase invoices along wit the photographs) machinery such as Ho Hydraulic Press Machine, Plywood Cuttin Machine, Automatic Spraying Machine, UV Curin Machine that should be used for laminate/Venee finish for manufacturing the furniture within th stipulated period.
			bund for all and the west	Page 2 of

.

bund botteh went

à

v 11

Page **2** of **9**

.

		bending machine, CNC Router Machine, Power Press Machine (Capacity from 10 Ton to 250 Ton), Hot Press for laminate pressing, Post Forming Machine, sliding panel Saw machine, Spindle Moulder Machine, Multi Boring Machine, Saw Machine, Zig Saw Machine, Veneer Laser sheet processing machine should be owned by the OEM/authorised dealer. Proof of plant and machinery should be uploaded with technical bid. Institute reserves the right to inspect the factory or manufacturing facility of the bidder (Or its OEM) before opening the financial bid to ensure that the above said machinery is available and functional. Bidder's offer is liable to be rejected by the Institute if the bidder does not allow for such inspection or if his manufacturing facility was not found to be satisfactory by the Institute inspecting team.	In addition to machinery Computer controlled multi stationed through feed edge bending machine, CNC Router Machine, Power Press Machine (Capacity from 10 Ton to 250 Ton), Hot Press for laminate pressing, sliding panel Saw machine, Spindle Moulder Machine, Multi Boring Machine, Saw Machine, Zig Saw Machine, should be owned by the OEM/authorised dealer. Proof of plant and machinery should be uploaded with technical bid. Institute reserves the right to inspect the factory or manufacturing facility of the bidder (Or its OEM) before opening the financial bid to ensure that the above said machinery is available and functional. Bidder's offer is liable to be rejected by the Institute if the bidder does not allow for such inspection or if his manufacturing facility was not found to be satisfactory by the Institute inspecting team. 2. OEM are free to show that they have additional machineries that are relevant for better production and quality of the product. 3. In case the bidder is under process for procuring any of the machineries mentioned in the tender, they can submit an affidavit "stating that in case they are selected the machineries will be in placed before production of the furniture, failing which, their order will be cancelled and EMD may be forfeited." 4. Regarding OEM certificate an OEM can provide a self-declaration certificate.
10	Pg 11 clause (1)	The bidder should be the original equipment/ furniture manufacturer (OEM) or their authorized dealers with the manufacturer having the factory act license and ESIC/ EPF registration. Scanned copies as proof must be uploaded.	1. In case OEM is the bidder, executed PO copies in their name or any of their authorised dealers will be accepted.
		drug Seelik wert	Page 3 of 9

÷

ţ

Page **3** of **9**

				Or 2. In case a dealer is the bidder, executed PO copies in the name of OEM will be accepted. 3. an OEM can also submit its Bid through one of its authorised dealers and Bid submission through more than one dealer will make all such bids getting rejected
11	Pg 11 clause (2)	on (a) Design Proposed (b) adequ materials, (b) financial capability, (c) and (e) delivery schedule. The Con check whether the bidder is capa	ation to the designated committee of the Institu- late manufacturing facility, procurement of ra qualified manpower, (d) plan of execution of wo nmittee may also visit the manufacturing site ble of executing the work, as per documen rior intimation for plant visit will be communicate	w rk to ts
12	Page 16, Clause (1.1.17)	Provided always that the total amour Condition shall not exceed 10% (Tel	0.50% per week of delay to be computed. Int of compensation for delay to be paid under the n Percent) of the contract Value of work or of the of items of work for which a separate period	ne
13	Pg 39 Annexure-XIII	Material	Make	As per Tender. No change
		Powder Coat	Asian Paint/Berger/Nerolac	
		Float Glass /Toughened Glass	Modi Guard /Saint Gobain /Indo Asahi	
		Expansion Bolts	Hilti / Fischer/Hettich	
		Resin Based Adhesive	Pidilite- Fevicol (SWR+)/Hankel	
		SS /Chrome Coated Hardware	Dorset/Hettich/Haffele/Dorma	
		Laminates	Greenlam/Merino/Century	
		Post Form Laminates	Greenlam/Merino/Century	
		Fabric Protection	Fabgaurd/Scotchguard	<i>I</i>
			And both went	Page 4 of 9

- 4

٠.

Page 4 of 9

		Upholstery Fabric	Next Gen/ Response	
		Upholstery Leatherette	Next Gen/ Response	
		Locks	Godrej/Dorset/Hafele	
		Pivot, Handle Bars	Dorma/Dorset/Hafele	
		Mattress	Kurlon/Wakefit/Sleepwell	
		Pre laminated Ply Board MR Grade as per IS 303 and with lamination on both sides 0.8 mm thick as per IS specifications	Greenply/Merino/Century/ Action Tesa	
		EWR Pipe /CRCA Tube	Jindal/Tata/SAIL/APOLLO	
		Ply Wood	Duro/Greenply/Merino/Century/ Durian/GreenLam	
		CRCA Sheet	Essar Steel/JSW/ Ispat/Jindal/Tata	
		Edge Banding Tape	Rehau or Equivalent	
		Veneer	GreenLam Club/Century/Durian/Hickory/ Greenply	
		Aluminium sheet	Hindalco or similar make	
14	Pg 42 Section IV Clause 2			
15	Pg 42 Section IV Clause 3	2. Bidder/OEM must have toll free	e number for Service Support.	Only the final selected bidder shall have to share toll free number

Curknent

hij

Page **5** of **9**

A

16	Pg 11 Evaluation of Bids Clause 1.1.5 Stage- I	Such of the bidders who have submitted Tender Cost, EMD, fulfilled all the general eligibility conditions and produced required documents/proofs/certificates, their bids alone will be taken for further evaluation.	As per Tender. No change. MSME registered bidder shall also have to pay Tender fee, EMD.
17	Pg 45 Section VI	CLASSROOM TABLE-HORSESHOE/Semicircular: Providing and placing in position table of the following specifications. Top and modesty panel shall be made 18mm thick BWP Plywood laminated (with 1mm thick matt finished laminate with grains laid as per approved sample, laminate colour to match colour of teak wood edge beadings and mouldings. Inner surface of modesty and bottom of tabletop shall be provided with balancing laminate of minimum 0.8mm thick matching with tabletop laminate of approved shades. Edge beadings and mouldings made in teak wood shall be as per design. The teal wood mouldings shall be sanded and finished such that all edges are slightly champhered (0.5 to 1mm) and shall be finished in matt finished PU coating with Four Coates. Tabletop Supported on MS Frame shall be powder coated to the thickness of 40 microns. All ends of frame shall be plugged with plastic moulded end cap. The Grommet shall be made from antiskid plastic moulded components to facilitate access electrical / data / voice sockets access from top. Vertical cable separately from bottom of table along with raceway having cut outs of required sizes along with Hydraulic Pop Up Box/Cable Cubby with Audio, Power Ports and USB C type Port. Table shall have adequate provisions for the movement of electric and LV cables 106eparately at desired levels. Table having provision of pen holder, bag holder and having a provision of name plate. All necessary SS hardware/ fitting/ hinges/ locks/ handles etc. shall be provided of from as per list of approved makes. The material procure from FSC certified supplier / OEM and complete as per the direction of Engineer- In-Charge.	 The Minimum quantity for this type of table is 1440. However, the bidder/OEM can enhance the seating capacity in all classroom. The seating capacity for a 60-capacity classroom may be enhance to 75 seating capacity and 120 seating capacity may enhance to more than 120 The bidder shall provide their own design of the tables fulling all the conditions mentioned in this clause. The table should be sturdy and strong and should be grouted in the floor of the classrooms.
18	Pg 46 Section VI	CLASSROOM CHAIR- Supplying and placing in position of chair as per photograph. Overall height 945mm max, 870 min, overall width 560mm, overall depth 530mm, seat size 470mm (W) x 460mm (D) and back size 470mm (W) x 490 (H), seat and back are made up of 12mm thick hot-pressed ply wood upholstered with fabric and molded with polyurethane foam (Density = 45 +/-2 kg/m 3 and Hardness = 20 +/- 2 at 25% compression). The back plywood shall be designed with contoured lumbar support for extra comfort. The chair shall have a center tilt mechanism and tilt tension adjustment, single locking facility and full 360 degrees swivel mechanism, the one-	The number of chairs shall be equal to the number of tables.

Le burnent

Page **6** of **9**

 Pg 46-47 Section VI CLASSROOM TABLE (FOR 40-SEATER) Rectangular: Providing and placing in position table of the following specifications. Top shall be made 18mm thick made of moderately kill seasoned beech wood, Base material shall be made 18mm thick BWP plywood 2mm thick PVC edge banding on all working area. The Modesty shall be 18mm thick kill seasoned beech wood. Base material shall be made 12 mm thick BWP plywood 2mm thick PVC binding on all visible area. Inner side of moderately kill be tabletop balancing laminate shall be minimum 0.6mm thick matching with tabletop laminate of approved shades. All wooden surface to be sprayed with four coats of PU polish matt finished in desired shade. Legs shall be made from 1.6 mm Matt silver anodized aluminum extrusion/ MS legs. The wire carrying is facilitated through the hollow space between duel modesty and all the wires a r e c o n c e a l e d b e t w e en t wo modesty. Tabletop Supported on MS legs shall be powder coated to the thickness of 40 microns. Both ends of Aluminum extrusion covered with plastic moulded end cap. The Grommet shall be made from antiskip plastic moulded components to facilitate access electrical / data / voice sockets access from top. Table shall have adequate provisions for the movement of electric and US beparately at desired levels. Raceway having cut outs of required sizes along with Hydraulic Pop Up Box/Cable Cubby with Audio, Power Ports and USB C type Port. Table having provision of pen holder, bag holder and having a provision of name plate. All necessary SS hardware/ fitting/ hinges/ locks/ handles etc. shall be provided of from EBCO 			piece arm rest should be made up of black integral skin polypropylene with 50-70 Shore "A" hardness reinforced with MS insert, the armrest are scratch and whether resistant. The arm rests are fitted to the seat with a connecting strip assembly made of 5mm of HR steel. The prong (base) is made of nylon and fitted with 5nos. twin wheel castors (castor wheel dia. 50mm). The prong (base) is 660mm pitch center dia (700mm with castors). The telescopic bellows is 3-piece telescopic type and injection molded in black polyurethane. The pneumatic height adjustment shall have adjustment stroke of 120mm and shall be operated at 30kgs extension force. The material procured from FSC certified supplier / OEM and complete as per the direction of Engineer-In- Charge.	
	19	Pg 46-47 Section VI	 CLASSROOM TABLE (FOR 40-SEATER) Rectangular: Providing and placing in position table of the following specifications. Top shall be made 18mm thick made of moderately kiln seasoned beech wood, Base material shall be made 18mm thick BWP plywood 2mm thick PVC edge banding on all working area. The Modesty shall be 18mm thick kiln seasoned beech wood. Base material shall be made 12 mm thick BWP plywood 2mm thick PVC binding on all visible area. Inner side of modesty and below the tabletop balancing laminate shall be minimum 0.6mm thick matching with tabletop laminate of approved shades. All wooden surface to be sprayed with four coats of PU polish matt finished in desired shade. Legs shall be made from 1.6 mm Matt silver anodized aluminum extrusion/ MS legs. The wire carrying is facilitated through the hollow space between duel modesty and all the wires a r e c o n c e a l e d b e t w e e n t w o modesty. Tabletop Supported on MS legs shall be powder coated to the thickness of 40 microns. Both ends of Aluminum extrusion covered with plastic moulded end cap. The Grommet shall be made from antiskid plastic moulded components to facilitate access electrical / data / voice sockets access from top. Table shall have adequate provisions for the movement of electric and LV cables 108eparately at desired levels. Raceway having cut outs of required sizes along with Hydraulic Pop Up Box/Cable Cubby with Audio, Power Ports and USB C type Port. Table having provision of pen holder, bag holder and having a provision of name plate. All necessary SS hardware/ fitting/ hinges/ locks/ handles etc. shall be provided of from 	capacity classroom may be enhance to 50 seating capacity or more.

.

.

Contenent

Page **7** of **9**

 \mathcal{A}

		per the dire	he material procured from FSC certified supplier ection of Engineer-In-Charge.		
20	Pg 14 Clause 1.1.12 & Pg 42 Section IV clause 4	other faults	turing defects of fixtures / fittings including any that appear in the furniture within twenty-four mo on is given by the IIM Shillong shall be rectified b		
21		Submissio	n of More than One Design		Bidders can submit upto a maximum of 3 design.
22	NIT Pg 4 Sl.No 11	Last Date	& Time for submission of bids is on 22.09.2023		The bid submission date is extended to 05.10.2023 and opening of technical bid shall be on 06.10.2023.
24	Autocad Drawings				Link has been provided in the Institute website.
25	Page No. 14 Clause 1.1.12	other faults	turing defects of fixtures / fittings including any that appear in the furniture within twenty-four mo on is given by the IIM Shillong shall be rectified b		
26	Pg 13 Clause 1.1.9	for the follo	ng bidder shall submit at least 5nos chairs and wing furniture items, as per the detailed specif esign & drawings.		
27	Pg 37	Annexure->	(Ι		Stamp paper from any State within the Union of India will be accepted.
28	Pg 12 Stage 2a Presentation	Sr. No.	Particulars	Points	As per Tender No change. However certification in S.no 4 shall be as per SI.No 7
		. 1	Design Proposed for the Classroom Furniture	25	above.
		2	Types of Materials proposed to be used	10	
		3	Quality of Samples provided	10	
		4	ISO: 9001:2008; I S O : 14001:2004; I S O : 18001:2007, ISO 45001, Green Pro for raw material issued from NABCB accredited	10	
			Due	bulener	Page 8 of 9

Page **8** of **9**

	agency in India which can be verified, also		
	certificate for relevant category of products.		
	Copies of all these Certificates from certified		
	laboratory shall be enclosed with the technical		
	bid.		
5	3 (Three) similar completed works each costing	10	
	not less than 40% of the Estimated cost put to		
	tender, or		
	2 (Two) similar completed works each costing		
	not less than 60% of the Estimated cost put to		
	tender, or		
	1 (One) similar completed work costing not		
	less than 80% of the Estimated cost put to		
	tender.		
6	Adequate manufacturing facility	05	
7	Procurement of raw materials and quality	05	
	compliance		
8	Financial capability	15	
9	Qualified manpower	05	
10	Plan of execution of work and delivery	05	
	schedule	25	
Total Po	Total Points		
Cut off	70	Bidder should	
Points		secure at least 70	
		points.	

Store & Purchase Officer

IIM Shillong

2

*

Executive Engineer

Chief Administrative Officer IIM Shillong

Page **9** of **9**